

DRUGS TO BE AVOIDED OR USED WITH CAUTION IN THE SAMOYED

<i>DRUG NAME</i>	<i>CHEMICAL NAME OR ACTIVE INGREDIENT</i>	<i>USAGE</i>	<i>possible SIDE EFFECTS</i>
Baytril	enrofloxacin	antibiotic	Lowers seizure threshold
Bactrim, Diltrim, Septra, Sulfatrim, SMZ-TMP, Tribissen	Trimethoprim sulfamethoxazole	antibiotic	Urticaria, hives, vomiting, diarrhea, anorexia, fever, renal crystal formation, death
Primor	Sulfadiazine ormetoprim	antibiotic	Urticaria, hives, vomiting, diarrhea, anorexia, fever, renal crystal formation, death
Acepromazine	acepromazine	Tranquilizer, typically used in conjunction with anesthetic for surgeries	Low blood pressure, seizures
Deramaxx	deracoxib	Non-steroidal anti-inflammatory	Possible gastrointestinal & renal toxicity
Rimadyl (carprofen)	6-chloro-a-methylcarbazole-2-acetic acid	Non-steroidal anti-inflammatory	Possible gastrointestinal & renal toxicity
Clomicalm* *admonition re: Clomicalm is based on our experience with Rocky's treatment and subsequent death; this admonition is not found in the published literature	clomipramine	Anti-anxiety	Hepatic toxicity, leading to hepatic encephalopathy and death